

~~182 22822*#~~
TM-83289

NASA Technical Memorandum 83289

**COMPILATION OF ATMOSPHERIC GAS CONCENTRATION
PROFILES FROM 0 TO 50 KM**

M. A. H. Smith

MARCH 1982

LIBRARY COPY

1 MAR 5 0 1982

**LANGLEY RESEARCH CENTER
LIBRARY, NASA
HAMPTON, VIRGINIA**



**National Aeronautics and
Space Administration**

**Langley Research Center
Hampton, Virginia 23665**

INTRODUCTION

The compilation of atmospheric gas concentration profiles described in this report was created at NASA Langley Research Center as a convenient on-line reference data set for line-by-line simulations of atmospheric infrared absorption and emission signals. Profiles from this compilation are also useful as "initial guesses" in iterative procedures for retrieval of gas concentrations from measured atmospheric infrared data. Since a number of researchers in the field of atmospheric remote sensing have informally requested copies of this compilation, the author has decided to release these data in the form of a Technical Memorandum.

In this report, a brief description of the data will be followed by a listing of the data set as it appears on the NASA Langley computer system, and a list of references. The final section of this report contains plots of each of the 52 gas concentration profiles included in the compilation. The author acknowledges the assistance of Ms. Pamela L. Rarig, of the Systems and Applied Sciences Corporation, who developed the plotting program used to produce the figures in this report.

N82-22822 #

DESCRIPTION OF THE DATA

The first 28 gases on the compilation are those for which spectroscopic data are given on the AFGL (Rothman, 1981; Rothman et al., 1981) and GEISA (Chedin et al., 1980, 1981) atmospheric absorption line parameter compilations. Concentration profiles for these gases are listed in order according to their AFGL integer gas codes. Since this gas profile compilation has been developed primarily as a data base for simulation of atmospheric absorption or emission, profiles are included for all the major infrared-active species (H_2O , CO_2 , O_3 , N_2O , CO , CH_4 , O_2), even though some of these profiles may not be of great interest for photochemical studies. The fundamental collision-induced bands of both N_2 and O_2 appear quite strong in tropospheric and lower-stratospheric spectra (Rinsland et al., 1981, 1982), and the atmospheric N_2 profile has also been included in this compilation. PH_3 is not known to exist in the unpolluted terrestrial atmosphere, but its line parameters are included in the GEISA tape and are used in analysis of atmospheric spectra of the outer planets. In this compilation, the terrestrial PH_3 volume mixing ratio has been set to a negligible value (1.0×10^{-20}).

The last 24 gases in this compilation are species which have either been measured in the stratosphere or are considered to be important sources, sinks or intermediate reservoirs for photochemically active species in the stratosphere (Hudson and Reed, 1979; Hudson et al., 1981). All of these gases have molecular spectra in the infrared, but detailed listings of their absorption line parameters are not yet available. However, the concentration profiles listed here may be used in conjunction with laboratory spectra such as those compiled by Murcray and Goldman

(1981) to estimate the magnitude of atmospheric absorption by these species at various altitudes. These concentration profiles are loosely grouped according to category, ie., hydrocarbons, halocarbons, odd-hydrogen species, odd-nitrogen species, and sulfur-containing molecules.

The data file is written in the form of 80-character card images. For each species there is a header card containing the gas name left-justified in the first 15 columns, and columns 16 through 80 contain a description of the major references for the gas concentration profile. This header card is followed by one to six cards containing the atmospheric volume mixing ratios at 2-km intervals, beginning at 50 km and ending at the ground (0 km).

The gas concentration profiles in this data set have been based on both atmospheric measurements and the results of photochemical models, compiled from an extensive literature search by the author. The majority of references for these profiles are included in the Hudson et al. (1981) report, and a few more recent results are added here. Although for a number of species many measurements and model studies have been reported in the literature, the references on the header cards are limited to the more recent results and to review articles. Unless otherwise stated on the header card, the set of volume mixing ratios for each species represents the "typical" diurnally averaged, seasonally averaged Northern Hemisphere midlatitude gas concentration profile. When both model results and atmospheric measurements were available, the measurements have been weighted more heavily in the determination of the average concentration profile. In some cases where neither measurements nor model results were available over the entire 0-50 km altitude range (e.g. NH_3 , HI , HCN , C_2H_4 ,

CHCl_2F , HNO_2 , HO_2NO_2 and H_2S), the author has extrapolated the concentration profiles based on available information such as spectroscopic upper limits, expected ground-level concentrations or estimated tropospheric lifetimes.

The average gas concentration profiles presented here, while useful for "ball-park" estimates of atmospheric absorption or emission or for initialization of retrieval algorithms, may be quite different from concentration profiles actually measured at specific times and locations on the Earth, particularly in the case of diurnally varying species. The reader interested in simulation of atmospheric absorption or emission for a specific case, for example, a sunset spectrum taken in mid-winter at high latitude, should consult the individual references given here and in the Hudson et al. (1981) report to obtain more detailed gas concentration profiles.

H2O	ELLSAESSER ET AL.(1980) AND 1976 U.S. STANDARD ATM.				
	5.0E-06,	4.8E-06,	4.6E-06,	4.5E-06,	4.5E-06,
	4.5E-06,	4.4E-06,	4.4E-06,	4.3E-06,	4.2E-06,
	4.1E-06,	3.9E-06,	3.7E-06,	3.5E-06,	3.5E-06,
	3.5E-06,	3.4E-06,	3.2E-06,	2.9E-06,	6.0E-06,
	2.0E-05,	6.5E-04,	1.5E-03,	3.8E-03,	9.7E-03,
	1.0E-02				
CO2	1976 U.S. STANDARD ATM.				
	26*3.14E-04				
O3	1976 U.S. STANDARD ATM.				
	3.1E-06,	3.8E-06,	4.7E-06,	5.8E-06,	6.4E-06,
	7.3E-06,	7.8E-06,	8.1E-06,	7.7E-06,	7.2E-06,
	6.6E-06,	6.2E-06,	5.7E-06,	4.7E-06,	3.6E-06,
	2.6E-06,	1.6E-06,	8.5E-07,	5.0E-07,	3.1E-07,
	1.3E-07,	6.0E-08,	4.1E-08,	3.4E-08,	2*3.3E-08
N2O	GOLDAN ET AL(1980,81), FABIAN ET AL(1981A), COFFEY ET AL(1981A)				
	1.0E-09,	2.0E-09,	4.0E-09,	7.0E-09,	1.0E-08,
	1.6E-08,	2.2E-08,	3.2E-08,	5.0E-08,	7.0E-08,
	9.0E-08,	1.1E-07,	1.3E-07,	1.6E-07,	2.0E-07,
	2.4E-07,	2.7E-07,	2.9E-07,	3.0E-07,	3.1E-07,
	6*3.2E-07				
CO	FABIAN ET AL.(1981A), EHHAUT AND TONNISSSEN(1980)				
	5*3.0E-08,				
	3.0E-08,	3.0E-08,	2.7E-08,	2.4E-08,	2.2E-08,
	2.0E-08,	1.9E-08,	1.8E-08,	1.7E-08,	1.6E-08,
	1.5E-08,	2.0E-08,	3.0E-08,	5.0E-08,	8.0E-08,
	1.0E-07,	1.2E-07,	1.3E-07,	1.3E-07,	1.4E-07,
	1.5E-07				
CH4	FABIAN ET AL.(1981A), EHHAUT AND TONNISSSEN(1980)				
	1.0E-07,	1.5E-07,	2.0E-07,	2.5E-07,	3.2E-07,
	4.0E-07,	4.8E-07,	5.7E-07,	6.6E-07,	7.3E-07,
	8.0E-07,	8.6E-07,	9.3E-07,	1.0E-06,	1.1E-06,
	1.3E-06,	1.4E-06,	1.5E-06,	1.5E-06,	1.6E-06,
	1.6E-06,	1.6E-06,	1.7E-06,	1.7E-06,	2*1.7E-06
O2	1976 U.S. STANDARD ATM.				
	26*2.09E-01				

NO	COFFEY ET AL.(1981A) AND OTHERS				
	1.0E-08,	1.0E-08,	1.0E-08,	1.0E-08,	1.1E-08,
	1.2E-08,	1.0E-08,	9.0E-09,	7.0E-09,	4.0E-09,
	2.5E-09,	1.5E-09,	8.0E-10,	4.0E-10,	3.0E-10,
	2.5E-10,	2.3E-10,	2.7E-10,	3.0E-10,	3.0E-10,
	6*3.0E-10				
S02	TURCO ET AL.(1981B), INN ET AL.(1981) AND OTHERS				
	3.5E-11,	3.1E-11,	2.3E-11,	1.8E-11,	1.5E-11,
	1.3E-11,	1.2E-11,	1.1E-11,	1.1E-11,	1.2E-11,
	1.3E-11,	1.5E-11,	1.7E-11,	1.9E-11,	2.2E-11,
	3.1E-11,	5.0E-11,	6.0E-11,	5.6E-11,	5.5E-11,
	6.0E-11,	7.0E-11,	9.5E-11,	1.4E-10,	2.5E-10,
	3.0E-10				
NO2	ROSCOE ET AL.(1981), COFFEY ET AL.(1981A) AND OTHERS				
	1.0E-09,	1.5E-09,	2.0E-09,	2.5E-09,	3.0E-09,
	3.5E-09,	4.5E-09,	5.0E-09,	5.5E-09,	7.0E-09,
	7.5E-09,	4.5E-09,	3.1E-09,	2.2E-09,	1.2E-09,
	9.0E-10,	4.0E-10,	3.5E-10,	3.3E-10,	3.0E-10,
	6*3.0E-10				
NH3	HOELL ET AL.(1980) U.S.A. EAST COAST MEAS.				
	15*1.0E-13,				
	1.0E-12,	1.0E-11,	1.0E-10,	3.0E-10,	4.0E-10,
	5.5E-10,	7.0E-10,	8.5E-10,	1.0E-09,	1.2E-09,
	1.3E-09				
HNO3	COFFEY ET AL.(1981A) AND OTHERS				
	5.0E-12,	1.0E-11,	2.0E-11,	4.0E-11,	7.0E-11,
	1.0E-10,	2.0E-10,	3.5E-10,	6.0E-10,	1.0E-09,
	2.0E-09,	3.0E-09,	3.5E-09,	4.0E-09,	3.0E-09,
	2.0E-09,	1.1E-09,	3.0E-10,	2.0E-10,	1.0E-10,
	9.0E-11,	8.0E-11,	7.0E-11,	5.0E-11,	4.0E-11,
	3.0E-11				
DH	YUNG ET AL.(1980), TURCO ET AL.(1981B), ANDERSON(1971,1976)				
	8.0E-10,	7.0E-10,	6.0E-10,	5.0E-10,	4.0E-10,
	3.1E-10,	2.2E-10,	1.3E-10,	5.8E-11,	2.8E-11,
	1.0E-11,	6.1E-12,	2.9E-12,	1.0E-12,	5.2E-13,
	1.9E-13,	1.3E-13,	8.1E-14,	5.3E-14,	4.9E-14,
	4.7E-14,	5*4.4E-14			
HF	CRUTZEN ET AL.(1978), SZE(1978) MODELS + ALL MEAS. THRU 1981				
	4.5E-10,	4.4E-10,	4.3E-10,	4.2E-10,	4.1E-10,
	4.0E-10,	3.8E-10,	3.6E-10,	3.4E-10,	3.2E-10,
	3.0E-10,	2.5E-10,	2.0E-10,	1.5E-10,	1.0E-10,
	6.0E-11,	2.5E-11,	1.0E-11,	4.5E-12,	2.0E-12,
	6.0E-13,	2.3E-13,	9.0E-14,	3.0E-14,	2*1.0E-14

HCL	CRUTZEN ET AL.(1978), MILLER ET AL.(1980) + ALL MEAS. THRU 1981				
	1.3E-09,	1.3E-09,	1.3E-09,	1.3E-09,	1.4E-09,
	1.5E-09,	1.7E-09,	1.8E-09,	1.6E-09,	1.2E-09,
	1.0E-09,	7.0E-10,	6.5E-10,	6.0E-10,	5.5E-10,
	5.0E-10,	4.0E-10,	2.5E-10,	1.0E-11,	3.0E-11,
	2.4E-11,	2.2E-11,	2.6E-11,	3.3E-11,	6.5E-11,
	1.0E-10				
HBR	YUNG ET AL.(1980)				
	7.4E-12,	7.4E-12,	7.3E-12,	7.0E-12,	6.4E-12,
	5.1E-12,	3.9E-12,	3.1E-12,	2.4E-12,	2.1E-12,
	1.8E-12,	1.7E-12,	1.7E-12,	1.7E-12,	1.7E-12,
	11*1.7E-12				
HI	CICERONE (1981)				
	26*3.0E-12				
CLO	PARRISH ET AL.(1981), ANDERSON (1980), WATERS ET AL.(1981)				
	1.0E-10,	1.3E-10,	1.7E-10,	3.0E-10,	6.0E-10,
	7.2E-10,	7.0E-10,	6.0E-10,	5.0E-10,	4.0E-10,
	2.0E-10,	1.0E-10,	5.0E-11,	2.0E-11,	1.0E-11,
	6.0E-12,	2.5E-12,	1.3E-12,	7.0E-13,	4.0E-13,
	2.0E-13,	1.5E-13,	1.2E-13,	3*1.0E-13	
OCS	TURCO ET AL.(1981B), INN ET AL.(1979,1981) AND OTHERS				
	1.0E-14,	1.0E-14,	2.5E-14,	8.0E-14,	2.0E-13,
	5.0E-13,	1.0E-12,	2.5E-12,	6.0E-12,	1.7E-11,
	3.0E-11,	7.0E-11,	1.1E-10,	1.4E-10,	1.9E-10,
	2.4E-10,	3.1E-10,	3.9E-10,	4.7E-10,	5.0E-10,
	5.2E-10,	5.3E-10,	5.5E-10,	5.6E-10,	5.8E-10,
	6.0E-10				
H2CO	BARBE ET AL.(1979), EHHALT AND TONNISSEN (1980)				
	4.0E-11,	5.1E-11,	6.5E-11,	8.0E-11,	9.5E-11,
	1.1E-10,	1.2E-10,	1.2E-10,	1.1E-10,	1.0E-10,
	9.0E-11,	8.0E-11,	6.0E-11,	5.0E-11,	4.0E-11,
	3.3E-11,	3.4E-11,	3.6E-11,	3.7E-11,	3.3E-11,
	3.4E-11,	5.0E-11,	7.0E-11,	1.3E-10,	3.0E-10,
	2.4E-09				
HOCL	BOUGHNER AND NEALY (1979) MODEL				
	3.2E-11,	4.4E-11,	7.7E-11,	1.4E-10,	1.9E-10,
	2.8E-10,	3.2E-10,	3.5E-10,	3.4E-10,	3.0E-10,
	2.6E-10,	2.1E-10,	1.5E-10,	9.8E-11,	5.8E-11,
	3.0E-11,	1.6E-11,	8.4E-12,	5.1E-12,	5.2E-12,
	4.1E-12,	4.5E-12,	6.2E-12,	1.0E-11,	1.4E-11,
	7.7E-12				

N2	1976 U.S. STANDARD ATM.				
26*7.81E-01					
HCN	COFFEY ET AL.(1981B), M.SMITH, PRIVATE, 1982				
20*1.7E-10,					
1.5E-10,	1.0E-10,	3.0E-11,	1.0E-11,	3.0E-12,	
1.0E-12					
CH3CL	RASMUSSEN ET AL.(1980), LEIFER ET AL.(1981)				
1.0E-14,	3.0E-14,	1.0E-13,	2.0E-13,	5.0E-13,	
1.0E-12,	2.0E-12,	5.0E-12,	1.0E-11,	2.0E-11,	
5.0E-11,	1.0E-10,	2.0E-10,	2.6E-10,	3.2E-10,	
3.7E-10,	4.2E-10,	4.8E-10,	5.3E-10,	5.7E-10,	
5.9E-10,	6.0E-10,	6.0E-10,	6.0E-10,	6.4E-10,	
7.0E-10					
H2O2	YUNG ET AL.(1980), BOUGHNER AND NEALY(1979), WATERS ET AL.(1981)				
2.5E-10,	2.8E-10,	3.2E-10,	3.4E-10,	3.6E-10,	
4.0E-10,	5.3E-10,	7.5E-10,	1.0E-09,	1.2E-09,	
1.1E-09,	8.5E-10,	6.0E-10,	4.1E-10,	2.6E-10,	
1.8E-10,	1.4E-10,	1.7E-10,	1.8E-10,	1.9E-10,	
6*2.0E-10					
C2H2	GOLDMAN ET AL(1981A), CRONN+ROBINSON(1979), RUDDOLPH+EHHALT(1981)				
10*1.0E-14,					
1.0E-14,	1.0E-14,	2.0E-14,	5.0E-14,	1.0E-13,	
3.0E-13,	8.0E-13,	2.5E-12,	7.0E-12,	2.0E-11,	
2.3E-11,	2.5E-11,	3.0E-11,	5.0E-11,	8.0E-11,	
3.0E-10					
C2H6	CRONN AND ROBINSON(1979), RUDDOLPH ET AL.(1981)				
5*1.0E-13,					
1.0E-13,	1.0E-13,	2.0E-13,	5.0E-13,	1.0E-12,	
2.0E-12,	5.0E-12,	1.0E-11,	2.0E-11,	3.3E-11,	
6.0E-11,	1.0E-10,	2.0E-10,	5.0E-10,	1.0E-09,	
1.7E-09,	1.8E-09,	1.9E-09,	2.0E-09,	2.0E-09,	
2.0E-09					
PH3	NO REFS				
26*1.0E-20					

C3H8	RUDDLPH ET AL.(1981)				
10*1.0E-14,					
1.0E-14,	3.0E-14,	1.0E-13,	3.0E-13,	1.0E-12,	
4.0E-12,	1.1E-11,	2.0E-11,	3.7E-11,	1.0E-10,	
1.8E-10,	2.0E-10,	2.2E-10,	2.5E-10,	3.0E-10,	
4.0E-10					
C2H4	RASMUSSEN ET AL.(1981) GROUND-LEVEL MEAS. ONLY				
10*1.0E-14,					
1.0E-14,	1.0E-14,	3.0E-14,	1.0E-13,	3.0E-13,	
1.0E-12,	3.0E-12,	1.0E-11,	2.0E-11,	5.0E-11,	
1.0E-10,	1.1E-10,	1.3E-10,	1.5E-10,	1.7E-10,	
2.0E-10					
CFCL3	GOLDAN ET AL.(1980), FABIAN ET AL.(1981A,B)				
5*1.0E-14,					
1.0E-14,	1.0E-14,	1.0E-14,	2.0E-14,	7.0E-14,	
2.0E-13,	7.0E-13,	2.0E-12,	6.0E-12,	1.7E-11,	
4.0E-11,	5.6E-11,	7.8E-11,	1.1E-10,	1.4E-10,	
6*1.5E-10					
CF2CL2	GOLDAN ET AL.(1980), FABIAN ET AL.(1981A,B)				
1.0E-13,	1.7E-13,	2.5E-13,	4.0E-13,	7.0E-13,	
1.2E-12,	2.5E-12,	4.7E-12,	8.5E-12,	1.7E-11,	
2.8E-11,	3.8E-11,	5.2E-11,	7.4E-11,	9.6E-11,	
1.3E-10,	1.7E-10,	2.2E-10,	2.4E-10,	2.6E-10,	
2.8E-10,	2.9E-10,	2.9E-10,	3*3.0E-10		
CF3CL	FABIAN ET AL.(1981B), PENKETT ET AL.(1981)				
1.3E-12,	1.4E-12,	1.5E-12,	1.6E-12,	1.7E-12,	
1.8E-12,	1.9E-12,	2.0E-12,	2.1E-12,	2.1E-12,	
2.2E-12,	2.5E-12,	2.8E-12,	3.0E-12,	3.1E-12,	
3.3E-12,	3.6E-12,	3.9E-12,	4.2E-12,	5.0E-12,	
6*5.0E-12					
CHCLF2	RASMUSSEN ET AL.(1981), GOLDMAN ET AL.(1981A), LEIFER ET AL.(1981)				
5*1.0E-15,					
1.0E-15,	1.0E-15,	3.0E-15,	1.0E-14,	3.0E-14,	
1.0E-13,	3.0E-13,	1.0E-12,	3.0E-12,	1.0E-11,	
3.0E-11,	4.5E-11,	5.0E-11,	5.3E-11,	5.4E-11,	
6*5.5E-11					
CHCL2F	PENKETT ET AL.(1980) GROUND-LEVEL MEAS. ONLY				
10*1.0E-16,					
3.0E-16,	1.0E-15,	3.0E-15,	1.0E-14,	2.0E-14,	
5.0E-14,	1.0E-13,	2.0E-13,	4.0E-13,	7.0E-13,	
1.0E-12,	1.1E-12,	1.2E-12,	1.3E-12,	1.4E-12,	
1.6E-12					

CCL4	CRUTZEN ET AL.(1978), WILLIAMS ET AL.(1976), LEIFER ET AL.(1981)				
1.0E-14,	1.0E-14,	1.0E-14,	2.0E-14,	5.0E-14,	
1.0E-13,	2.0E-13,	5.0E-13,	1.0E-12,	2.3E-12,	
4.5E-12,	8.0E-12,	1.2E-11,	2.0E-11,	4.0E-11,	
8.0E-11,	9.0E-11,	1.1E-10,	1.3E-10,	1.4E-10,	
6*1.4E-10					
CF4	FABIAN ET AL.(1981B), PENKETT ET AL.(1981), GOLDMAN ET AL.(1979)				
6.0E-11,	6.1E-11,	6.1E-11,	6.1E-11,	6.2E-11,	
6.2E-11,	6.3E-11,	6.3E-11,	6.4E-11,	6.4E-11,	
6.5E-11,	6.6E-11,	6.7E-11,	6.8E-11,	6.9E-11,	
11*7.0E-11					
CF3BR	FABIAN ET AL.(1981B), PENKETT ET AL.(1981)				
10*1.0E-16,					
3.0E-15,	1.0E-14,	6.0E-14,	1.3E-13,	2.2E-13,	
4.0E-13,	5.0E-13,	6.0E-13,	7.0E-13,	8.0E-13,	
6*9.0E-13					
CH3CCL3	LEIFER ET AL.(1981), CRUTZEN ET AL.(1978)				
5*1.0E-14,					
4.0E-14,	1.0E-13,	2.5E-13,	6.0E-13,	1.0E-12,	
2.3E-12,	4.0E-12,	7.0E-12,	1.2E-11,	2.0E-11,	
3.3E-11,	6.0E-11,	1.0E-10,	1.2E-10,	1.3E-10,	
6*1.4E-10					
C2F3CL3	FABIAN ET AL.(1981B), SINGH ET AL.(1979)				
1.0E-15,	1.0E-15,	1.0E-15,	2.0E-15,	5.0E-15,	
1.0E-14,	2.0E-14,	5.0E-14,	1.0E-13,	2.0E-13,	
5.0E-13,	7.5E-13,	1.0E-12,	2.0E-12,	3.2E-12,	
5.0E-12,	7.0E-12,	9.0E-12,	1.1E-11,	1.3E-11,	
1.5E-11,	1.6E-11,	1.7E-11,	1.8E-11,	2*1.9E-11	
C2F4CL2	FABIAN ET AL.(1981B), SINGH ET AL.(1979)				
7.0E-14,	1.1E-13,	1.4E-13,	2.2E-13,	4.0E-13,	
7.0E-13,	1.0E-12,	1.5E-12,	2.3E-12,	3.2E-12,	
4.0E-12,	4.2E-12,	4.5E-12,	4.9E-12,	5.4E-12,	
6.1E-12,	7.0E-12,	7.5E-12,	8.0E-12,	8.5E-12,	
9.0E-12,	9.5E-12,	1.0E-11,	1.0E-11,	2*1.1E-11	
C2F5CL	FABIAN ET AL.(1981B), PENKETT ET AL.(1981)				
4.2E-13,	4.5E-13,	4.9E-13,	5.4E-13,	6.1E-13,	
7.0E-13,	8.0E-13,	9.0E-13,	1.0E-12,	1.1E-12,	
1.2E-12,	1.3E-12,	1.4E-12,	1.6E-12,	1.9E-12,	
2.3E-12,	2.6E-12,	3.0E-12,	3.5E-12,	4.0E-12,	
6*4.0E-12					

C2F6	FABIAN ET AL.(1981B), PENKETT ET AL.(1981)				
1.5E-12,	1.6E-12,	1.7E-12,	1.8E-12,	1.9E-12,	
2.0E-12,	2.1E-12,	2.2E-12,	2.4E-12,	2.7E-12,	
3.0E-12,	3.1E-12,	3.2E-12,	3.3E-12,	3.4E-12,	
11*4.0E-12					
HD2	YUNG ET AL.(1980), LOGAN ET AL.(1979), ANDERSON ET AL.(1981)				
7.8E-10,	7.2E-10,	6.6E-10,	6.0E-10,	5.4E-10,	
4.8E-10,	4.3E-10,	3.8E-10,	3.3E-10,	3.1E-10,	
1.6E-10,	8.0E-11,	5.0E-11,	2.5E-11,	1.2E-11,	
7.6E-12,	5.1E-12,	4.3E-12,	3.0E-12,	1.8E-12,	
1.2E-12,	5*1.0E-12				
HND2	MURCRAY(1979), PLATT AND PERNER(1980) UPPER LIMITS				
10*1.0E-10,					
1.0E-10,	1.0E-10,	1.0E-10,	9.0E-11,	8.0E-11,	
7.0E-11,	6.5E-11,	6.0E-11,	5.5E-11,	5.0E-11,	
4.5E-11,	4.0E-11,	3.5E-11,	3.0E-11,	2.5E-11,	
2.0E-11					
HO2ND2	MURCRAY (1979) UPPER LIMIT AT 26 KM				
26*4.0E-10					
NO3	NOXON ET AL.(1978,1980), NAUDET ET AL.(1981) NIGHTTIME				
5*4.0E-10,					
4.0E-10,	3.5E-10,	2.7E-10,	1.8E-10,	1.0E-10,	
7.0E-11,	1.2E-11,	8.0E-12,	5.0E-12,	3.0E-12,	
2.0E-12,	1.0E-12,	1.0E-12,	1.5E-12,	2.0E-12,	
6*3.0E-12					
N2O5	BOUGHNER AND NEALY(1979), HUDSON ET AL.(1981), KING ET AL.(1976)				
2.2E-14,	7.0E-13,	3.6E-12,	9.6E-11,	3.6E-10,	
6.8E-10,	1.0E-09,	9.4E-10,	8.8E-10,	8.0E-10,	
7.6E-10,	3.8E-10,	1.4E-10,	6.0E-11,	3.0E-11,	
1.2E-11,	5.0E-12,	2.5E-12,	1.2E-12,	7.0E-13,	
4.2E-13,	2.8E-13,	1.9E-13,	1.3E-13,	1.0E-13,	
7.0E-14					
CLONO2	HUDSON AND REED (1979), MURCRAY ET AL.(1979)				
1.0E-12,	2.0E-12,	4.0E-12,	7.0E-12,	1.1E-11,	
2.1E-11,	6.5E-11,	1.8E-10,	4.0E-10,	6.0E-10,	
8.0E-10,	8.3E-10,	8.5E-10,	7.5E-10,	4.3E-10,	
2.6E-10,	1.5E-10,	8.0E-11,	5.0E-11,	3.2E-11,	
2.0E-11,	1.7E-11,	1.2E-11,	1.0E-11,	8.0E-12,	
7.0E-12					

CS2	SZE AND KO (1980), TURCO ET AL.(1981B) MODELS + ALL MEAS.				
10*1.0E-15,					
3.0E-15,	1.0E-14,	3.0E-14,	1.0E-13,	3.0E-13,	
1.0E-12,	3.0E-12,	1.0E-11,	3.0E-11,	3.5E-11,	
4.0E-11,	4.5E-11,	5.0E-11,	5.6E-11,	6.2E-11,	
7.0E-11					
H2S	RODHE AND ISAKSEN(1980), JAESCHKE ET AL.(1980), SZE AND KO(1980)				
10*1.0E-15,					
1.0E-15,	1.0E-15,	1.0E-15,	3.0E-15,	1.0E-14,	
3.0E-14,	1.0E-13,	3.0E-13,	1.0E-12,	3.0E-12,	
7.0E-12,	1.0E-11,	1.3E-11,	2.0E-11,	3.0E-11,	
1.0E-10					
H2SO4	ARNOLD ET AL.(1981), TURCO ET AL.(1981A)				
7.0E-12,	1.1E-11,	1.4E-11,	1.9E-11,	2.4E-11,	
3.6E-11,	4.0E-11,	6.0E-11,	3.9E-11,	2.5E-11,	
5.2E-12,	7.7E-13,	1.4E-13,	8.2E-14,	5.2E-14,	
3.8E-14,	2.8E-14,	2.0E-14,	1.5E-14,	1.1E-14,	
8.1E-15,	6.4E-15,	5.1E-15,	4.1E-15,	3.3E-15,	
2.7E-15					

REFERENCES


- Anderson, J. G. 1971: Rocket Measurements of OH in the Mesosphere. *J. Geophys. Res.*, vol. 76, pp. 7820-7824.
- Anderson, J. G. 1976: The Absolute Concentration of $\text{OH}(X^2\Pi)$ in the Earth's Stratosphere. *Geophys. Res. Lett.*, vol. 3, pp. 165-168.
- Anderson, J. G. 1980: Free Radicals in the Earth's Atmosphere: A Review of Recent Results. *Proceedings of the NATO Advanced Study Institute on Atmospheric Ozone: Its Variations and Human Influences*, A. C. Aiken (ed.), Federal Aviation Administration Report No. FAA-EE-80-20, pp. 233-252.
- Anderson, J. G.; Grassl, H. J.; Shetter, R. E.; and Margitan, J. J. 1981: HO_2 in the Stratosphere. *Geophys. Res. Lett.*, vol. 8, no. 3, pp. 289-292.
- Arnold, F.; Fabian, R.; and Joos, W. 1981: Measurements of the Height Variation of Sulfuric Acid Vapor Concentrations in the Stratosphere. *Geophys. Res. Lett.*, vol. 8, no. 3, pp. 293-296.
- Barbe, A.; Marche, P.; Secroun, C.; and Jouve, P. 1979: Measurements of Tropospheric and Stratospheric H_2CO by an Infrared High Resolution Technique. *Geophys. Res. Lett.*, vol. 6, no. 6, pp. 463-465.
- Boughner, R. E.; and Nealy, J. E. 1979: A Coupled Radiative-Convective-Photochemical Model of the Stratosphere. *NASA Technical Paper 1418*.
- Chedin, A.; Husson, N.; Scott, N.; Jobard, I.; Cohen-Hallaleh, I.; and Berrior, A. 1980: La Banque de Données "GEISA": Description et Logiciel d'Utilisation. *Laboratoire de Meteorologie Dynamique du C.N.R.S., France, Note interne LMD no. 108*.
- Chedin, A.; Husson, N.; Scott, N.; Cohen-Hallaleh, I.; and Berrior, A. 1981: La Banque de Données "GEISA": Mise a jour no. 2 (Juillet 1981). *Laboratoire de Meteorologie Dynamique du C.N.R.S., France, Note interne LMD no. 113*.
- Cicerone, R. J. 1981: Halogens in the Atmosphere. *Revs. Geophys. and Space Phys.*, vol. 19, no. 1, pp. 123-129.
- Coffey, M. T.; Mankin, W. G.; and Goldman, A. 1981a: Simultaneous Spectroscopic Determination of the Latitudinal, Seasonal, and Diurnal Variability of Stratospheric N_2O , NO , NO_2 , and HNO_3 . *J. Geophys. Res.*, vol. 86, no. C8, pp. 7331-7341.
- Coffey, M. T.; Mankin, W. G.; and Cicerone, R. J. 1981b: Spectroscopic Detection of Stratospheric Hydrogen Cyanide(HCN). *Science*, vol. 214, pp. 333-335.


- Cronn, D.; and Robinson, E. 1979: Tropospheric and Lower Stratospheric Vertical Profiles of Ethane and Acetylene. *Geophys. Res. Lett.*, vol. 6, no. 8, pp. 641-644.
- Crutzen, P. J.; Isaksen, I. S. A.; and McAfee, J. R. 1978: The Impact of the Chlorocarbon Industry on the Ozone Layer. *J. Geophys. Res.*, vol. 83, no. C1, pp. 345-363.
- Ehhalt, D. H.; and Tonnissen, A. 1980: Hydrogen and Carbon Compounds in the Stratosphere. *Proceedings of the NATO Advanced Study Institute on Atmospheric Ozone: Its Variations and Human Influences*, A. C. Aiken (ed.). Federal Aviation Administration Report No. FAA-EE-80-20, pp. 129-152.
- Ellsaesser, H. W.; Harries, J. E.; Kley, D.; and Penndorf, R. 1980: Stratospheric H₂O. *Planet. Space Sci.*, vol. 28, pp. 827-835.
- Fabian, P.; Borchers, R.; Flentje, G.; Mathews, W. A.; Seiler, W.; Giehl, H.; Bunse, K.; Muller, F.; Schmidt, U.; Volz, A.; Khedim, A.; and Johnen, F. J. 1981a: The Vertical Distribution of Stable Trace Gases at Mid-Latitudes. *J. Geophys. Res.*, vol. 86, no. C6, pp. 5179-5184.
- Fabian, P.; Borchers, R.; Penkett, S. A.; and Prosser, N. J. D. 1981b: Halocarbons in the Stratosphere. *Nature*, vol. 294, pp. 733-735.
- Goldan, P. D.; Kuster, W. C.; Albritton, D. L.; and Schmeltkopf, A. L. 1980: Stratospheric CFC₂, CF₂Cl₂ and N₂O Height Profile Measurements at Several Latitudes. *J. Geophys. Res.*, vol. 85, no. C1, pp. 413-423.
- Goldan, P. D.; Kuster, W. C.; Schmeltkopf, A. L.; Fehsenfeld, F. C.; and Albritton, D. L. 1981: Correction of Atmospheric N₂O Mixing-Ratio Data. *J. Geophys. Res.*, vol. 86, no. C6, pp. 5385-5386.
- Goldman, A.; Murcray, D. G.; Murcray, F. J.; Cook, G. R.; VanAllen, J. W.; Bonomo, F. S.; and Blatherwick, R. D. 1979: Identification of the ν_3 Vibration-Rotation Band of CF₄ in Balloon-Borne Infrared Solar Spectra. *Geophys. Res. Lett.*, vol. 6, no. 7, pp. 609-612.
- Goldman, A.; Murcray, F. J.; Blatherwick, R. D.; Bonomo, F. S.; Murcray, F. H.; and Murcray, D. G. 1981a: Spectroscopic Identification of CHCl₃ (F-22) in the Lower Stratosphere. *Geophys. Res. Lett.*, vol. 8, no. 9, pp. 1012-1014.
- Goldman, A.; Murcray, F. J.; Blatherwick, R. D.; Gillis, J. R.; Bonomo, F. S.; Murcray, F. H.; Murcray, D. G.; and Cicerone, R. J. 1981b: Identification of Acetylene (C₂H₂) in Infrared Atmospheric Absorption Spectra. *J. Geophys. Res.*, vol. 86, no. C12, pp. 12143-12146.


- Hoell, J. M.; Harward, C. N.; and Williams, B. S. 1980: Remote Infrared Heterodyne Radiometer Measurements of Atmospheric Ammonia Profiles. *Geophys. Res. Lett.*, vol. 7, no. 5, pp. 313-316.
- Hudson, R. D.; and Reed, E. I. (eds.) 1979: *The Stratosphere: Present and Future*. NASA Reference Publication 1049.
- Hudson, R. D.; Reed, E. I.; and Bojkov, R. D. (eds.) 1981: *The Stratosphere 1981: Theory and Measurements*, World Meteorological Organization, Global Ozone Research and Monitoring Project Report No. 11.
- Inn, E. C. Y.; Vedder, J. F.; Tyson, B. J.; and O'Hara, D. 1979: COS in the Stratosphere. *Geophys. Res. Lett.*, vol. 6, no. 3, pp. 191-193.
- Inn, E. C. Y.; Vedder, J. F.; and O'Hara, D. 1981: Measurement of Stratospheric Sulfur Constituents. *Geophys. Res. Lett.*, vol. 8, no. 1, pp. 5-8.
- Jaeschke, W.; Claude, H.; and Herrmann, J. 1980: Sources and Sinks of Atmospheric H₂S. *J. Geophys. Res.*, vol. 85, no. C10, pp. 5639-5644.
- King, P.; McKinnon, I. R.; Mathieson, J. G.; and Wilson, I. R. 1976: Upper Limits to Stratospheric N₂O₅ Abundance. *J. Atmos. Sci.*, vol. 33, no. 8, pp. 1657-1659.
- Leifer, R.; Sommers, K.; and Guggenheim, S. F. 1981: Atmospheric Trace Gas Measurements with a New Clean Air Sampling System. *Geophys. Res. Lett.*, vol. 8, no. 10, pp. 1079-1081.
- Logan, J. A.; McElroy, M. B.; Wofsy, S. C.; and Prather, M. J. 1979: Oxidation of CS₂ and COS: Sources for Atmospheric SO₂. *Nature*, vol. 281, pp. 185-188.
- Miller, C.; Steed, J. M.; Filkin, D. L.; and Jesson, J. P. 1980: Two-Dimensional Model Calculations of Stratospheric HCl and ClO. *Nature*, vol. 288, pp. 461-464.
- Murcray, D. G. 1979: Fluorocarbon Research Program. Manufacturing Chemists Association, Rev. 10, p. 32.
- Murcray, D. G.; Goldman, A.; Murcray, F. H.; Murcray, F. J.; and Williams, W. J. 1979: Stratospheric Distribution of ClONO₂. *Geophys. Res. Lett.*, vol. 6, no. 11, pp. 857-859.
- Murcray, D. G. and Goldman, A. (eds.) 1981: *CRC Handbook of High Resolution Infrared Laboratory Spectra of Atmospheric Interest*. CRC Press, Boca Raton, Florida, 282 pages.
- Naudet, J. P.; Hugenin, D.; Rigaud, P.; and Cariolle, D. 1981: Stratospheric Observations of NO₃ and its Experimental and Theoretical Distribution Between 20 and 40 km. *Planet. Space Sci.*, vol. 29, no. 6, pp. 707-712.


- Noxon, J. F.; Norton, R. B.; and Henderson, W. R. 1978: Observation of Atmospheric NO_3 . *Geophys. Res. Lett.*, vol. 5, no. 8, pp. 675-678.
- Noxon, J. F.; Norton, R. B.; and Marovich, E. 1980: NO_3 in the Troposphere. *Geophys. Res. Lett.*, vol. 7, no. 2, pp. 125-128.
- Parrish, A.; de Zafra, R. L.; Solomon, P. M.; Barrett, J. W.; and Carlson, E. R. 1981: Chlorine Oxide in the Stratospheric Ozone Layer: Ground-Based Detection and Measurement. *Science*, vol. 211, pp. 1158-1160.
- Penkett, S. A.; Prosser, N. J. D.; Rasmussen, R. A.; and Khalil, M. A. K. 1980: Measurement of CHFC_2 (F-21) in Background Tropospheric Air. *Nature*, vol. 286, pp. 793-795.
- Penkett, S. A.; Prosser, N. J. D.; Rasmussen, R. A.; and Khalil, M. A. K. 1981: Atmospheric Measurements of CF_4 and Other Fluorocarbons Containing the CF_3 Grouping. *J. Geophys. Res.*, vol. 86, no. C6, pp. 5172-5178.
- Platt, V.; and Perner, D. 1980: Direct Measurements of Atmospheric CH_2O , HNO_2 , O_3 , NO_2 , and SO_2 by Differential Optical Absorption in the Near UV. *J. Geophys. Res.*, vol. 85, no. C12, pp. 7453-7458.
- Rasmussen, R. A.; Rasmussen, L. E.; Khalil, M. A. K.; and Dalluge, R. W. 1980: Concentration Distribution of Methyl Chloride in the Atmosphere. *J. Geophys. Res.*, vol. 85, no. C12, pp. 7350-7356.
- Rasmussen, R. A.; Khalil, M. A. K.; and Dalluge, R. W. 1981: Atmospheric Trace Gases in Antarctica. *Science*, vol. 211, pp. 285-287.
- Rinsland, C. P.; Smith, M. A. H.; Russell, J. M.; Park, J. H.; and Farmer, C. B. 1981: Stratospheric Measurements of Continuous Absorption Near 2400 cm^{-1} . *Appl. Opt.*, vol. 20, no. 24, pp. 4167-4171.
- Rinsland, C. P.; Smith, M. A. H.; Seals, R. K.; Goldman, A.; Murcray, F. J.; Murcray, D. G.; Larsen, J. C.; and Rarig, P. L. 1982: Stratospheric Measurements of Collision-Induced Absorption by Molecular Oxygen. *J. Geophys. Res.*, vol. 87 (in press).
- Rodhe, H. and Isaksen, I. 1980: Global Distribution of Sulfur Compounds in the Troposphere Estimated in a Height/Latitude Transport Model. *J. Geophys. Res.*, vol. 85, no. C12, pp. 7401-7409.
- Roscoe H. K.; Drummond, J. R.; and Jarnot, R. F. 1981: Infrared Measurements of Stratospheric Composition. III. The Daytime Changes of NO and NO_2 . *Proc. Roy. Soc. London A*, vol. 375, pp. 507-528.
- Rothman, L. S. 1981: AFGL Atmospheric Absorption Line Parameters Compilation: 1980 Version. *Appl. Opt.*, vol. 20, no. 5, pp. 791-795.


- Rothman, L. S.; Goldman, A.; Gillis, J. R.; Tipping, R. H.; Brown, R. L.; Margolis, J. S.; Maki, A. G.; and Young, L. D. G. 1981: AFGL Trace Gas Compilation: 1980 Version. Appl. Opt., vol. 20, no. 13, pp. 1323-1328.
- Rudolph, J.; Ehhalt, D. H.; and Tonnissen, A. 1981: Vertical Profiles of Ethane and Propane in the Stratosphere. J. Geophys. Res., vol. 86, no. C8, pp. 7167-7272.
- Rudolph, J. and Ehhalt, D. H. 1981: Measurements of C₂-C₅ Hydrocarbons Over the North Atlantic. J. Geophys. Res., vol. 86, no. C12, pp. 11959-11964.
- Singh, H. B.; Salas, L. J.; Shigeishi, H.; and Scribner, E. 1979: Atmospheric Halocarbons, Hydrocarbons, and Sulfur Hexafluoride: Global Distributions, Sources and Sinks. Science, vol. 203, pp. 899-903.
- Sze, N. D. 1978: Stratospheric Fluorine: A Comparison Between Theory and Measurements. Geophys. Res. Lett., vol. 5, no. 9, pp. 781-783.
- Sze, N. D. and Ko, M. K. 1980: Photochemistry of COS, CS₂, CH₃SCH₃, and H₂S: Implications for the Atmospheric Sulfur Cycle. Atmos. Environ., vol. 14, pp. 1223-1239.
- Turco, R. P.; Toon, O. B.; Hamill, P.; and Whitten, R. C. 1981a: Effects of Meteoric Debris on Stratospheric Aerosols and Gases. J. Geophys. Res., vol. 86, no. C2, pp. 1113-1128.
- Turco, R. P.; Whitten, R. C.; Toon, O. B.; Inn, E. C. Y.; and Hamill, P. 1981b: Stratospheric Hydroxyl Radical Concentrations: New Limitations Suggested by Observations of Gaseous and Particulate Sulfur. J. Geophys. Res., vol. 86, no. C2, pp. 1129-1139.
- U.S. Standard Atmosphere, 1976. NOAA-S/T 76-1562.
- Waters, J. W.; Hardy, J. C.; Jarnot, R. F.; and Pickett, H. M. 1981: Chlorine Monoxide Radical, Ozone, and Hydrogen Peroxide: Stratospheric Measurements by Microwave Limb Sounding. Science, vol. 214, pp. 61-64.
- Williams, W. J.; Kusters, J. J.; Goldman, A.; and Murcray, D. G. 1976: Measurements of Stratospheric Halocarbon Distributions Using Infrared Techniques. Geophys. Res. Lett., vol. 3, no. 7, pp. 379-382.
- Yung, Y. L.; Pinto, J. P.; Watson, R. T.; and Sander, S. P. 1980: Atmospheric Bromine and Ozone Perturbations in the Lower Stratosphere. J. Atmos. Sci., vol. 37, no. 2, pp. 339-353.
























































































































































1. Report No. NASA TM- 83289		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle COMPILATION OF ATMOSPHERIC GAS CONCENTRATION PROFILES FROM 0 TO 50 KM				5. Report Date March 1982	
				6. Performing Organization Code 147-30-01-03	
7. Author(s) Mary Ann H. Smith				8. Performing Organization Report No.	
9. Performing Organization Name and Address NASA Langley Research Center Hampton, VA 23665				10. Work Unit No.	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546				13. Type of Report and Period Covered Technical Memorandum	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract <p>A set of 52 atmospheric gas concentration profiles between 0 and 50 km has been compiled as a convenient reference data set for calculation of atmospheric infrared absorption or emission signals and for initialization of iterative procedures for retrieval of gas concentrations from measured data. The distributions of volume mixing ratio as a function of altitude generally correspond to typical diurnally averaged, seasonally averaged Northern Hemisphere midlatitude gas concentration profiles. Profiles are given for all gases included in current infrared atmospheric absorption line parameter compilations, and for a number of additional important trace gases.</p>					
17. Key Words (Suggested by Author(s)) Atmospheric Gases Remote Sensing Atmospheric Transmission Models			18. Distribution Statement Unclassified - Unlimited Subject Category 46		
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified		21. No. of Pages 70	
				22. Price A04	

